CIRC ACCESSION NO--AP0125671
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. THE DEHYDRATION OF
ALPHA,(R,SUBSTITUTED),DELTA, HYDROXY,GAMMA,CAPROLACTONES (I) R EQUALS
ET, PR, BU, ISO-BU, ISO-AMYL) WITH HPO SUB2 GAVE
ALPHA,(R,SUBSTITUTED),GAMMA,VINYLBUTYROLACTONES.   THE REPLACEMENT OF
THE OH GROUP OF I BY CL GAVE DELTA,CHLORO ANALOGS OF I WHICH REACTED
WITH ETONA TO GIVE DELTA,ETHOXY ANALOGS OF I.   FACILITY: EREVAN.
GOS. UNIV., EREVAN, USSR.

UNCLASSIFIED

1/2   014   UNCLASSIFIED   PROCESSING DATE--30OCT70
TITLE--SYNTHESIS OF LACTONES. VII. SELECTIVE REDUCTION OF
  ACETYLBUTYROLACTONES BY ALUMINUM ISOPROPYLATE -U-
AUTHOR-(05)-ARUTYUNYAN, V.S., SARKISYAN, O.A., KAZARYAN, SH.A., ZALINYAN,
  M.G., DANGYAN, M.T.
COUNTRY OF INFO--USSR

SOURCE--ZH. ORG. KHIM. 1970, 6(4), 856-60

DATE PUBLISHED--------70

SUBJECT AREAS--CHEMISTRY

TOPIC TAGS--ORGANIC SYNTHESIS, LACTONE, CHEMICAL REDUCTION, ORGANOALUMINUM
  COMPOUND

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--2000/2083   STEP NO--UR/0366/70/006/004/0856/0860

CIRC ACCESSION NO--AP0125670
                        UNCLASSIFIED

CIRC ACCESSION NO--AP0125670
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. THE SELECTIVE REDN. OF ALPHA, (R
SUBSTITUTED),GAMMA,ACETYLBUTYROLACTONES (R EQUALS ET, PR, ISO-PR, BU,
ISO-BU, OSOAMYL) WITH (ISO-PRO) SUB3 AL (I) GAVE ALPHA,(R
SUBSTITUTED),GAMMA, (ALPHA,HYDROXYETHYL)BUTYROLACTONES. THE REDN. OF
BETA,ACETYL,BETA,CARBETHOXYBURYROLACTONE WITH I GAVE
BETA,(ALPHA,PROPOXYETHYL),BETA,CARBETHOXYBUTYROLACTONE WHICH WAS
DECARBOXYLATED TO BETA,(ALPHA,PROPOXYETHYL)BUTYROLACTONE (II). THE
REDN. OF BETA,ACETYLBUTYROLACTONE WITH I ALSO GAVE II. THE REDN. OF
ALPHA,(3,OXOBUTYL)BURYROLACTONE GAVE
ALPHA,(3,HYDROXYBUTYL)BUTYROLACTONE. ALPHA,ACETYLBUTYRO,LACTONES COULD
NOT BE REDUCED IN THIS WAY. FACILITY: EREVAN. GOS. UNIV.,
EREVAN, USSR.

1/2   017   UNCLASSIFIED   PROCESSING DATE--23OCT70
TITLE--LINEAR PERIODIC PROBLEM OF A SLOPE WIND OVER A THERMALLY
  INHOMOGENEOUS SLOPING SURFACE -U-
AUTHOR-(02)-MKHITARYAN, A.M., ARUTIUNYAN, ZH.G.

COUNTRY OF INFO--USSR

SOURCE--AKADEMIIA NAUK ARMIANSKOI SSR, DOKLADY, VOL. 50, NO. 1, 1970, P.
  11-19
DATE PUBLISHED-------70

SUBJECT AREAS--ATMOSPHERIC SCIENCES

TOPIC TAGS--ATMOSPHERIC MOTION, ATMOSPHERIC WIND, DIFFERENTIAL EQUATION,
  ATMOSPHERIC TEMPERATURE

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--1998/0711   STEP NO--UR/0252/70/050/001/0011/0019

CIRC ACCESSION NO--AT0121370
                   UNCLASSIFIED

CIRC ACCESSION NO--AT0121370

ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. ANALYSIS OF THE MOTION OF AIR ON A
NONUNIFORMLY HEATED PLANE SLOPE FORMING A GIVEN ANGLE WITH THE
HORIZONTAL PLANE. IT IS ASSUMED THAT THE TEMPERATURE OF THE SLOPING
SURFACE IS A PERIODIC FUNCTION OF TIME AND DECREASES LINEARLY UP THE
SLOPE. A SYSTEM OF DIFFERENTIAL EQUATIONS IS DERIVED TO DESCRIBE THE
MOTION OF AIR ON A SLOPE. THE WIND VELOCITY COMPONENTS ACTING ALONG A
SLOPE AND NORMALLY TO ITS SURFACE AND ALSO THE TEMPERATURE VARIATIONS AT
VARIOUS DISTANCES FROM THE GROUND AT DIFFERENT MOMENTS OF TIME ARE
CALCULATED FROM THESE EQUATIONS FOR SIX DIFFERENT POINTS OF A SLOPING
SURFACE. AN ANALYSIS SHOWS THAT THE VELOCITY OF A VALLEY WIND CAN REACH
A MAXIMUM OF 12-14 M-SEC.   FACILITY: ZAKAVKAZSKII
NAUCHNO-ISSLEDOVATEL'SKII GIDROMETEOROLOGICHESKII INSTITUT, YEREVAN,
ARMENIAN SSR.

UNCLASSIFIED

1/2   010   UNCLASSIFIED   PROCESSING DATE--04DEC70
TITLE--WATER CONTAMINATION -U-

AUTHOR--ARUYA, M.

COUNTRY OF INFO--USSR

SOURCE--SOVETSKAYA ESTONIYA, AUGUST 23, 1970, P 2, COLS 4-7

DATE PUBLISHED--23AUG70

SUBJECT AREAS--MECH., IND., CIVIL AND MARINE ENGR

TOPIC TAGS--WATER POLLUTION, WATER PURIFICATION, GEOGRAPHIC LOCATION

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--3008/1779   STEP NO--UR/9017/70/000/000/0002/0002

CIRC ACCESSION NO--AN0138733
                              UNCLASSIFIED

2/2 010
CIRC ACCESSION NO--AN0138733 UNCLASSIFIED PROCESSING DATE--04DEC70

ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. AFTER A GROUP OF ESTONIAN EXPERTS
HAD GONE TO CZECHOSLOVAKIA TO STUDY THE PURIFICATION OF SEWAGE WATER,
THE ESTONIAN GOVERNMENT MADE THE DECISION TO CONSTRUCT 17 PURIFICATION
PLANTS IN RURAL HAMLETS AND SMALL PLANTS. THE PURIFICATION PLANTS WILL
BE BASED ON THE ACTION OF BACTERIA AND OXYGENATION. PLANTS OF THIS TYPE
PRODUCE 90-98 PERCENT PURE WATER. A. MAASTIKA, DOCENT, HEAD OF THE
HYDROAMELIORATION CHAIR OF THE ESTONIAN AGRICULTURAL ACADEMY IS ACTIVELY
PARTICIPATING IN THE DEVELOPMENT OF NEW PURIFICATION PLANTS. THE AUTHOR
OF THE ARTICLE, WHO HAD A CHANCE TO TASTE WATER FROM A BIOLOGICAL
TREATMENT POOL, CLAIMS THAT IT WAS "CLEAR LIKE A TEAR" AND TASTED BETTER
THAN WATER FROM ANY NATURAL SOURCE. ACCORDING TO THE ARTICLE, THE
TALLIN POLYTECHNIC INSTITUTE DIRECTED THE DEVELOPMENT OF A COMPACT
BIOFILTER, THE "BIO-25", BY THE "ESTONPROYEKT". THE NEW FILTER COSTS
ONLY 11,000 RUBLES AS COMPARED TO 47,000 FOR A "CLASSICAL" PLANT.
ANOTHER IDEA OF THE INSTITUTE, A STANDARD BIOLOGICAL PURIFICATION PLANT,
"OKSID", HAS BEEN DEVELOPED BY THE ESTGIPROSEL'STROY" DESIGN PLANNING
INSTITUTE. COSTING 16,000 RUBLES, IT WILL BE USED IN TOWNS WITH
POPULATIONS UP TO 3,000 PEOPLE AND WILL PRODUCE 90 PERCENT PURE WATER.

UNCLASSIFIED

USSR

AR'UZOV, B. A., ARSHINOVA, R. P., VUL'FSON, S. G., MUKMENEV, E. T.

"Steric Structure of Phosphorus-Containing Heterocycles. 4. Axial Arrangement of the Alkoxy Group in 1,3,2-dioxaphosphorinanes by the Dipole Moment Data"

Abstract: A study was made of the conformation of two classes of compounds: 2-alkoxy-1,3,2-dioxaphosphorinanes (I) and the corresponding dialkoxypentaery-thitdiphosphites (II)

(I) R = Et (a), Ph (6);   (II) R = Et (a), Ph (6);   (III) R = Me (a), n-Pr (6)

Data are compared on the structure of 1,3,2-dioxaphosphorinanes which are derivatives of trimethylene glycol and 1,3-butylene glycol.
   The dipole moments are determined for 2-alkoxy and 2-phenoxy-1,3,2-dioxaphosphorinanes and their spiro analogs with a three-coordinated phosphorus
1/2

USSR

atom. A graphical procedure is proposed for the analysis of the dipole moment data for cyclic compounds. In all of the investigated compounds, conformation of the chair configuration with the axial (or diaxial for the spiro compound) arrangement of the alkoxy group with gosh-orientation of the methoxyl and ethoxyl radicals and with cis-orientation of the phenoxy group. The proposed graphical procedure permitted not only establishment of the steric structure of the spirane molecules but also certain conclusions regarding the structure of the corresponding monocyclic molecules.

USSR

UDC: 534-8

ARVIN, G., PRIALGAUSKAS, I., and RIBIKAUSKAS, S.

"Use of Acoustical Methods for Bacterial Preparations"

USSR

UDC: 534-8

ARVIN, G., PRIALGAUSKAS, I., and RIBIKAUSKAS, S.

"Use of Acoustical Methods for Bacterial Preparations"

Translation: A pulse device with a chamber of small volume for measuring ultrasonic absorption in biological materials is described. Results are given of measurements of the velocity and absorption of sound ir salmonella vaccine, salmonella diagnostica, and in dry horse serum, cultured in a physiological solution dependent on the concentration of microorganisms and the total quantity of albumen. The velocity was measured by a small-dimensioned ultrasonic interferometer at a frequency of 3 MHz, and the absorption was measured by a pulse device at frequencies of 15 and 45 MHz and at temperatures of 18.5 and 37°C. It was established that with the use of the velocity and absorption measurements, it is possible to determine the concentration of microbes in medical vaccines and diagnostica as well as the total amount of albumen in serum solutions. Bibliography of eight. Authors' abstract

1/1

Acc. Nr: AP0044608

Ref. Code: UR 0497

PRIMARY SOURCE: Kiinicheskaya Meditsina, 1970, Vol 48, Nr 1, pp 79-83

RADIOISOTOPE SCANNING IN THE DIAGNOSIS OF ECHINOCOCCOSIS OF THE LIVER

A. I. Andrukovich, L. T. Aryamkin

S u m m a r y

Radioisotope scanning of the liver was carried out in 196 patients with symptoms of hepato-megalia. Echinococcosis of the liver was revealed in 36 persons. Hydatid form of the parasite was seen in 16, alveolar — in 20 patients. In all the cases the scannogram showed a typical picture of extensive defect of isotope absorption at the site of tumor localization with a marked symptom of «hollow» liver. For the purpose of early diagnosis of affections of the liver with echinococcus the authors recommend to conduct scanning of the liver in all patients admitted into hospitals with symptoms of hepatomegalia.

REEL/FRAME
19771285

TITLE--PREPARATION OF OPAQUE ANODIC OXIDE FILMS ON ALUMINUM ALLOYS -U-

AUTHOR-(03)-LEONOVA, L.A., ARYAMOVA, I.I., IZAMAYLOV, A.V.

COUNTRY OF INFO--USSR

SOURCE--IZV. VYSSH. UCHEB. ZAVED., KHIM. KHIM. TEKHNOL. 1970, 13(1), 66-8

DATE PUBLISHED-------70

SUBJECT AREAS--MATERIALS

TOPIC TAGS--ANODIC COATING, ANODIZED ALUMINUM, ELECTROLYTIC OXIDATION,
CITRIC ACID, BORIC ACID, OXALATE/(U)D16T ALUMINUM ALLOY, (U)AMTSAM
ALUMINUM ALLOY, (U)AMG6M ALUMINUM ALLOY

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--1994/1793   STEP NO--UR/0153/70/013/001/0086/0088

CIRC ACCESSION NO--AT0115622
                        UNCLASSIFIED

CIRC ACCESSION NO--AT0115622
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. GOOD QUALITY OPAQUE FILMS ARE
ELECTROLYTICALLY FORMED ON AL ALLOYS D16 T, D16 AMO, AMTS AM, AND AMG 6M
FROM AN ELECTROLYTE CONTG. OXALIC ACID 40-60, CITRIC ACID 10-30, H SUB3
BO SUB3 3-10 G-L. AT 10-40DEGREES AND C.D. EQUALS 1-4 A-DM PRIME2 AT
50-90 V BY USING A STAINLESS STEEL CATHODE. IN 1 HR AT 2.5 A-DM PRIME2,
THE MAX. FILM THICKNESS OF 22-8 MMU IS OBTAINED AT 20-30DEGREES. IF
ELECTROLYSIS IS CONTINUED FOR 150 MIN AT 25DEGREES, THE FILM THICKNESS
ON D16 AMO ALLOY INCREASES TO 45 MMU, BUT DOES NOT INCREASE WITH LONGER
ELECTROLYSIS. AT 10 MIN THE CURRENT YIELD IS 43.5PERCENT, BUT OVER A 4
HR PERIOD, IT IS ONLY 14.5PERCENT. OVER THE RANGE 1-4 A-DM PRIME2, THE
FILM DEPOSITED IN 1 HR INCREASES LINEARLY 9.5-37.7 MMU IN THICKNESS.
THE COLOR AND TONE OF THE FILM DEPENDS ON THE ALLOY SUBSTRATE AND TIME.
LIGHTER, BRIGHTER FILMS ARE OBTAINED AT 25-35DEGREES THAN AT
10-15DEGREES.

UNCLASSIFIED

1/2   026   UNCLASSIFIED   PROCESSING DATE--20NOV70

TITLE--APPARATUS FOR MEASURING DIELECTRIC PROPERTIES OF A FILM DURING
 DEFORMATION AT A WIDE RANGE OF RATES AND TEMPERATURES -U-

AUTHOR-(02)-AKYEV, A.M., SOTNIKOV, A.V.

COUNTRY OF INFO--USSR

SOURCE--ZAVOD. LAB. 1970, 36(5), 624-5

DATE PUBLISHED-------70

SUBJECT AREAS--PHYSICS, MATERIALS

TOPIC TAGS--DIELECTRIC PROPERTY, ELASTIC DEFORMATION, DIELECTRIC LOSS,
 DIELECTRIC MATERIAL

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED

PROXY REEL/FRAME--3004/0914   STEP NO--UR/0032/70/036/005/0624/0625

CIRC ACCESSION NO--AP0131500

UNCLASSIFIED

2/2   026   UNCLASSIFIED   PROCESSING DATE--20NOV70
CIRC ACCESSION NO--AP0131500
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. A CIRCULAR FILM IS STRETCHED
RADIALLY BY A SYSTEM OF CLAMPS ATTACHED TO LEVERS MOVING OUTWARD AT A
PREDETD. RATE. THE FILM IS HEATED LESS THAN OR EQUAL TO 350DEGREES OR
COOLED TO MINUS 150DEGREES IN VACUO, WHILE BEING STRETCHED, AND ITS
DIELEC. LOSS TANGENT IS DETD. AT SHORT TIME INTERVALS.   FACILITY:
LUGANSK. MASHINOSTROIT. INST., LUGANSK, USSR.

Acc. Nr: AP0051905

Ref. Code: UR0475

PRIMARY SOURCE: Vrachebnoye Delo, 1970, Nr 2 , pp 21-23

MORPHOLOGICAL CHARACTERISTICS OF THE GASTRIC MUCOSA IN PATIENTS WITH CHRONIC GASTRITIS

M. K. Tikhonov and *L. M. Aryev* (Leningrad)

The morphological changes of the gastric mucosa have been studied in 127 patients with chronic gastritis and gastric functional disorders. All patients were young aged.

Gastric mucosa changes were most frequent and marked in chronic gastritis with secretory insufficiency.

Gastritis with normal and increased secretion showed mainly manifestations of superficial gastritis.

Aspiration biopsy of the stomach enabled to detect glandular forms of cancer in the preclinical period.

REEL/FRAME
19820388

USSR   *A*   UDC 612.58:612.13:612.821.31

ARYNCHYN, M. I., NIKITSIN, U. M., MATCKEVICH, E. I., ZIDAKIN, V. ...,
KAZLOVA, L. M., CHMARIN, I. K., SHAFRANSKI, L. V.

"Differential (Complex) Hypothermia and Its Experimental and Theoretical Basis"

Minsk, Vesti Akademiyi Nauk BSSR, Seryya biyalagichnykh navuk,
No. 1, 1970, pp 60-66

Abstract: A broad review of the applications of hypothermia is
presented and the various biological functions involved, including
EKG, biochemistry, hemodynamics, central and peropheral affects,
etc. are discussed. An original construction of a cooling chamber
is shown, consisting of two chambers, one for the head, and one
for the body, in which the temperatures differ. The effect of two-
chamber hypothermia, occurring under different degrees of temperature
on various reflexes in dogs, hemodynamics, hormones, minerals, and
blood proteins is discussed. Various clinical possibilities are
discussed and the use of this apparatus in cardiac surgery is
suggested.

1/1

ARYSTAMOV, G.A

Medical Service

EXCHANGES of
EXPERIENCE

MICROSURGERY OF THE EAR IN OTOSCLEROSIS

O. A. Arystanov, Lieut.-Col., Medical Service

In 1968, in the otorhinolaryngology department of our district hospital, 17 persons were under treatment for a loss of hearing due to otosclerosis. As is known, a sound wave, on striking the tympanic membrane, ordinarily is transmitted through a complex of auditory ossicles to the internal passage of the labyrinth and thence to Corti's organ. The necessary condition for such a transmission of sound is the normal mobility of the ossicles. When otosclerosis sets in, the ossicles find themselves blocked in the oval window of the labyrinth, and become motionless. As a result, the system of sound transmission breaks down.

Surgical information is, at the present time, the only method for restoring hearing in such cases. There exist two methods of surgical treatment for otosclerosis. The first consists of restructuring the sound-conducting mechanism and creating a new system for sound conduction (L. Holmgren, 1923; X. Lempert, 1938; K. L. Khilov, 1953, etc.). The second method involves the restoration of the physiological sound-conduction system (S. Rosen, 1960; V. Shea, 1960; N. Portmann, 1961; A. I. Kolomychenko, 1962; V. F. Nikitina, 1962; S. N. Khechinashvili, 1963, and others).

We have chosen the methods proposed by Portmann and Shea as being the least traumatic and providing the best functional results. Before proceeding with the micro-operations, we set up in our department a number of soundproof compartments wired for indicators of a stationary audiometer. We also equipped our surgical microscope (made by the Krasnogvardinein — Red Guard, firm) with additional lighting, and procured a set of special ear-surgery instruments needed in such cases.

The day before and on the morning of the operation, the patient receives pipolfen. The operation is carried out under local anesthesia, working externally and leading up about 0.5 cm. from the position of the tympanum, we made a curved incision in the skin, along the rear wall of the external auditory passage. A meato-tympanal flap is then cut out. For better observation of the various ossicle components, the bone above them is cleared with a spoon-shaped instrument. From this point on, the operation proceeds under the microscope, with a magnification of 7 to 10x.

On determining that the ossicles are indeed blocked, the malleus-incus combination is separated and the supports are broken off at the foundation of the base plate. If the operation is carried out by the Shea method, the stirrup is removed and the base plate perforated. A previously-prepared venous flap is then put in this position and a teflon prosthesis is installed between the flap and the lenticular apophysis of the incus. In this way, the continuity and mobility of the sound transmission system is restored. If surgery is performed by the Portmann method, a stirrup is installed, as a prosthesis, between the perforation in the base plate covered by the venous flap, and the lenticular apophysis. After careful hemostasis, the tympanum and the meatal flap are restored in place. A sterile tampon is then introduced through the external aural passage, as well as powdered antibiotics.

SHVETS, T. M., MIKHALYUK, S. A., MEL'NICHENKO, Z. M., BOTVINOV, V. A., and ARYUPINA, K. A., Institute of Colloidal Chemistry and Chemistry of Water, Acad. Sc. UkrSSR

"Electroconductivity of Metallopolymers Based on the Alloy Fe-Co-Ni and the Copolymers of Vinyl Chloride With Vinyl Acetate"

Abstract: Experimental data have been reported on the value of electrocon-ductivity in relationship to the nature of polymer, composition of metallo-polymer, and the temperature of treatment of the metallopolymer obtained by electrolytic method from the alloys consisting of iron-cobalt-nickel and copolymers of vinyl chloride with vinyl acetate. It has been shown that the electroconductivity depends on the composition of the metallopolymers and on the temperature of preliminary treatment.

1/1

USSR

BASKAKOV, Yu. A., VOLOVNIK, L. L., VASIL'EV, A. F., ARYUTKINA, N. L.,
TIBANOV, P. V., and NEGREBETSKIY, V. V.

"Herbicidal Derivatives of Hydroxylamine. XXIV. The Reaction of Halides
of Haloacetic Acids with Hydroxylamine Derivatives of Thiourea"

Khimiya Geterotsikl. Soyedin. [Chemistry of the Heterocyclic Compounds --
Collection of Works], No 3, Riga, Zinatne Press, 1971, pp 104-107. (Trans-
lated from Referativnyy Zhurnal Khimiya, No 5, Moscow, 1972, Abstract No
5N676 by the authors)

Translation: The reaction of $ClCH_2COCl$ with N-methylthiocarbamoyl-0-methyl-
hydroxylamine (I) without any HCl acceptor produces 2-methoxyimino-3-methyl-
4-oxo-1, 3-thiazolidinium (II), which is converted by heating in MeOH to 2-
methoxyimino-3-methyl-1, 3-thiazolidin-4-one (III). Two point two (2.2) g
$ClCH_2COCl$ is added to a solution of 2.4 g I in 100 ml ether at -20°, mixed
for 2 hours (after which the temperature of the mixture is about 20°) and
3.6 g II are separated, yield 94 %, mp 160° (in a sealed capillary). A
solution of II in MeOH is heated 1-2 hr on a water bath, the MeOH is dis-
tilled under vacuum, producing III, yield about 100 %, mp 88°. For a
previous report see RZHKHim, 1969, 4B1038.
1/1

USSR

AKIMOVA, A. YU., RAKHSHTADT, A. G., ARZAMASOVA, V. S.

"High-Temperature Thermomechanical Working of Stainless Dispersion-Hardening Steels"

Translation: The effect of high-temperature thermomechanical working and subsequent aging on $\sigma_{0.002}$ of stainless dispersion-hardening Cr-Ni steel of austenitic-martensitic class type 17-7 additionally alloyed with Al, Mo, or Ti and stainless martensitic-aging 12 Cr-10 Co steel with a high W content (6-8%) or Mo content (6%) was studied. High-temperature thermomechanical working of Cr-Ni steel not only increases $\sigma_{0.002}$ but also the resistance to stress relief during prolonged aging. The highest $\sigma_{0.002}$ was obtained in Kh17N7T steel (0.3% Ti). The value of $\sigma_{0.002}$ is 150 kg/mm^2 after high-temperature thermomechanical working (reduction of area 50%), cold working at

1/2

USSR

AKIMOVA, A. YU., et al., Povsh. konstruktivn. prochnosti staley i splavov. No 2, Moscow, 1970, pp 177-180

$-70°$, 2 hours, and aging at $450°$, 4 hours; $\sigma_{0.002}$ of the same steel is 110-115 kg/mm^2 after ordinary quenching, cold working, and aging. A sharp increase in $\sigma_{0.002}$ was observed for martensitic aging steel immediately after high-temperature thermomechanical working (25% reduction at 1,050°). However, the increase in $\sigma_{0.002}$ after aging steel subjected to high-temperature thermomechanical treatment does not exceed 4-6 kg/mm^2. There are 2 illustrations and a 2-entry bibliography.

USSR   UDC 621.311.001.1

ARZAMASTSEV, L. A.

"Some Problems of Mathematical Simulation for Controlling Large Systems as
Applied to Electric Power Systems"

V sb. Optimiz. i upr. bol'shimi sistemami v energ. (Optimization and Control
of Large Systems in Power Engineering -- collection of works), Irkutsk, 1970,
pp 215-228 (from RZh-Elektrotekhnika i Energetika, No 4, Apr 71, Abstract No
4 Yel77)

Translation: Means of solving the problem of optimal development of power
engineering are based on the hierarchical local nature and dynamic nature of the
investigated systems. These properties are investigated. The condition of ad-
missibility of separate optimization of the local system is derived. When
selecting the optimal calculation time an adaptive approach is recommended.
From investigation of the multicriterial nature of the problem, the conclusion
is drawn that the development strategies characterized by a set of probable-
optimal plans. Analysis of the consideration of accuracy of realizing the solu-
tion permits us to consider a set of probable-optimal solutions which can be
optimal with different probabilities during the realization. The bibliography
has 10 entries. [Urals Polytechnical Institute]
1/1

- 111 -

Polymers and Polymerization

SKOROBOGATOVA, A. Ye., ARZHAKOV, S. A., BAKEYEV, N. F., and KABANOV, V. A.,
Moscow State University Imeni M. V. Lomonosov

"Forced Elastic Relaxation of Glass-Like Polymers and the Mechanism of Forced
Elasticity"

Abstract: The kinetics of the relaxation of polymethylmethacrylate samples,
polymethylmethacrylate mixed with 20% dibutyl phtalate and other polymers
subjected to preliminary monoaxial compression or stretching in the glass-
like state was studied in an attempt to find the relationship between forced
elasticity and supermolecular structure of the polymers. In general, the
forced elastic deformation consists of two components: one of them is cap-
able of relaxing at low temperature, the other -- at the temperature of
glass formation. The input of these components depends on the temperature
of deformation and on the degree of deformation at a fixed temperature.
There were no differences found between these two samples tested. The
experimental data, especially the relaxation ability after the deformation
due to monoaxial compression, point out that the amorphous polymers have
a quite perfectly ordered supermolecular structure.
1/1

Arzhakov, S.A   *Chem Science*

THE FORMATION OF THE SOLID PHASE IN THE SYNTHESIS OF ...

In the study of questions of cross-linking in polymerization of special importance is clarification of the mechanism of the condensed phase directly in the course of polymerization. The process proceeds here during the condensation of new molecules, but the supermolecular formation is constructed not of "finished" macromolecules which have completed their growth as a result of chain termination, but of growing chains, characterized by a low degree of polymerization at the moment of their addition to the element of the phase. Further growth of such chain occurs in the solid phase, and this has a very favorable influence on the perfection of the forming structures, as in this case the usual kinetic difficulties of their growth can be bypassed.

The present article will discuss the results of investigations conducted by us to clarify the mechanism of formation of the solid phase in systems where the initiation of polymerization proceeds according to a homogeneous principle, mainly systems of free-radical initiation with thermal initiators capable of being dissolved in the reaction medium, or systems in which the initiation is accomplished by irradiation, with some form of energy. The mechanism of formation of the solid phase in such systems evidently is the same and is homogeneous nucleation [1].

We will examine the free-radical polymerization of certain vinyl polymers (vinyl and vinylidene chlorides), which is characterized by the fact that the formation and growth of the structural formations of the polymeric phase occur only in the medium of the polymer itself.

- 108 -

1/2   014   UNCLASSIFIED   PROCESSING DATE--16OCT70
TITLE--SENSITIZED PHOTOOXIDATION OF AMINO ACIDS IN FROZEN SOLUTIONS -U-

AUTHOR-(03)-POZNYAK, A.L., SHAGISULTANOVA, G.A., ARZHANKOV, S.I.

COUNTRY OF INFO--USSR

SOURCE--BIOFIZIKA 1970, 15(1), 20-1

DATE PUBLISHED-------70

SUBJECT AREAS--BIOLOGICAL AND MEDICAL SCIENCES

TOPIC TAGS--AMINO ACID, AQUEOUS SOLUTION, UV IRRADIATION, FREE RADICAL,
ELECTRON SPIN RESONANCE, PHOTOOXIDATION

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--1996/0633   STEP NO--UR/0217/70/015/001/0020/0021

CIRC ACCESSION NO--AP0117859
                    UNCLASSIFIED

2/2   014   UNCLASSIFIED   PROCESSING DATE--16OCT70
CIRC ACCESSION NO--AP0117859
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. .CH SUB2 NH SUB3 PRIME POSITIVE
(I), .CH(NH SUB3 PRIME POSITIVE)ME, .CH(NH SUB3 PRIME POSITIVE)CHME
SUB2, AND .CH(NH SUB3 PRIME POSITIVE)CH SUB2 OH RADICAL IONS WERE
OBTAINED BY IRRADIATING AT 77DEGREESK, WITH UV LIGHT, FROZEN AQ. SOLNS.
OF GLYCINE, DL,ALPHA,ALANINE, DL VALINE, AND DL SERINE, RESP., IN THE
PRESENCE OF NH SUB4 FE(SO SUB4) SUB2 OR CSCO(SO SUB4) SUB2. THE
PRODUCTS WERE IDENTIFIED BY ESR SPECTRA. THE RATE OF ACCUMULATION OF I
INCREASED WITH INCREASING PH OF THE SOLNS. UP TO PH 8 AND THEN
DECREASED.   THIS SHOWS THAT THE RADICAL IONS WERE FORMED MAINLY FROM
THE ZWITTERIONS OF THE AMINO ACIDS.   FACILITY: V. I. LENIN
BVELORUSS. STATE UNIV., MINSK, USSR.

UNCLASSIFIED

USSR

UDC 622.7:622.343

BOCHAROV, V. A., KULIGIN, S. A., and ARZHANNIKOV, G. I.

"Extraction of Zinc and Gold From Ural Copper-Zinc Ores"

Moscow, Tsvetnyye Metally, No 10, Oct 70, pp 80-82

Abstract: This article deals with problems related to the extraction of Zn and Au from Cu-Zu ores by the method of collective-selective flotation at various Ural ore concentration plants. Zinc extraction varies between 44 and 69%, and its losses are ∼25% in pyrite concentrates, and 10% in copper concentrates. Causes of zinc losses are discusses. Measures for improving the qualitative and quantitative concentration indices at various plants are outlined. It is stated that the extraction of Au from Ural ores presents even greater problems, and that despite new procedures increases in output have been insignificant. The causes of low Au output level are examined and the possibilities for increasing the output from compact pyrite ores are considered. The realization of a complex processing of pyrite concentrates (containing 1.5 g/ton Au) is one of the urgent problems.

1/1

UNCLASSIFIED   PROCESSING DATE--20NOV70

TITLE--PROSPECTS FOR ADOPTING CYANIDE FREE TECHNOLOGY FOR CONCENTRATING
 COPPER ZINC ORES FROM THE URALS -U-

AUTHOR-(03)-FILIMONOV, V.N., BOCHAROV, V.A., ARZHANNIKOV, G.I.

COUNTRY OF INFO--USSR

SOURCE--TSVET. METAL. 1970, 43(4), 92-3

DATE PUBLISHED-------70

SUBJECT AREAS--EARTH SCIENCES AND OCEANOGRAPHY

TOPIC TAGS--GEOGRAPHIC LOCATION, COPPER ORE, ZINC, ORE BENEFICATION

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED

PROXY REEL/FRAME--3004/1904   STEP NO--UR/0136/70/043/004/0092/0093

CIRC ACCESSION NO--AP0132166

                              UNCLASSIFIED

UNCLASSIFIED   PROCESSING DATE--20NOV70
CIRC ACCESSION NO--AP0132166
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. THE CYANIDE FREE BENEFICATION OF
URAL CU,ZN ORES USING NA SUB2 S AND ZNSO SUB4 TOGETHER WITH SULFOXIDES
AS DEPRESSORS UNDER LAB. CONDITIONS IS DESCRIBED. THE METHOD REDUCES
THE CONSUMPTION OF REAGENTS BY LARGER THAN 20 KOPECKS PER TON OF
PROCESSED ORE, IMPROVES THE QUALITY OF THE WASTE WATER, AND IMPROVES
WORKING CONDITIONS.

UNCLASSIFIED

1/2   008   UNCLASSIFIED   PROCESSING DATE--13NOV70
TITLE--SOLVABILITY OF THE NONLINEAR BOUNDARY VALUE PROBLEM OF THE
EXPONENTIAL TYPE IN THE THEORY OF ANALYTICAL FUNCTIONS -U-
AUTHOR--ARZHANOV, G.V.

COUNTRY OF INFO--USSR

SOURCE--KAZAN'; IZVESTIYA VYSSHIKH UCHEBNYKH ZAVEDENIY, MATEMATIKA, NO 3,
1970, PP 3-5
DATE PUBLISHED--------70

SUBJECT AREAS--MATHEMATICAL SCIENCES

TOPIC TAGS--BOUNDARY VALUE PROBLEM, ANALYTIC FUNCTION, NONLINEAR EQUATION

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--3004/1261   STEP NO--UR/0140/70/000/003/0003/0005

CIRC ACCESSION NO--AT0131726
                    UNCLASSIFIED

CIRC ACCESSION NO--AT0131726

ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. THIS ARTICLE CONTAINS AN
INVESTIGATION OF THE FOLLOWING PROBLEM: DETERMINE THE FUNCTIONS PHI
PRIME POSITIVE (Z) AND PHI PRIME NEGATIVE (Z) WHICH ARE ANALYTICAL IN
THE DOMAINS D PRIME POSITIVE AND D PRIME NEGATIVE RESPECTIVELY, IN WHICH
THE CURVE L DIVIDES THE PLANE (O EPSILON D PRIME POSITIVE) ACCORDING TO
THE BOUNDARY CONDITION (PHI PRIME POSITIVE (T)) PRIMEN EQUALS G(T) (PHI
PRIME NEGATIVE (T)) PRIMEM PLUS G(T) MINUS (1) WHERE N, M ARE INTEGERS
GREATER THAN OR EQUALS TO ONE, T EPSILON L.   SOLVABILITY OF PROBLEM (1)
IS INVESTIGATED FOR X EQUALS IND G(T) LARGER THAN OR EQUALS TO 0. IT
TURNS OUT THAT UNDER THE GIVEN ASSUMPTIONS THIS PROBELM IS NOT ALWAYS
SOLVABLE, AND THE PROPERTIES OF THE FUNCTION ARG G(T) BEGIN TO PLAY A
DEFINITE ROLE.   TWO THEOREMS REGARDING THE SOLVABILITY OF PROBLEM (1)
ARE PROVED, AND AN EXAMPLE OF THE PROBLEM IS PRESENTED: SHOWN ON
MICROFICHE.   WHERE T SUB1 EQUALS 1, SERVE AS ITS SOLUTION.

UNCLASSIFIED

Functional Analysis

USSR

A

UDC 517.544

ARZHANOV, G. V.

"Solvability of the Nonlinear Boundary Value Problem of the Exponential Type in the Theory of Analytical Functions"

Kazan', Izvestiya Vysshikh Uchebnykh Zavedeniy -- Matematika, No 3, 1970, pp 3-5

Abstract: This article contains an investigation of the following problem: determine the functions $\phi^{+}(z)$ and $\phi^{-}(z)$ which are analytical in the domains D^{+} and D^{-} respectively, in which the curve L divides the plane $(0 \in D^{+})$ according to the boundary condition

$$[\phi^{+}(t)]^{n} = G(t)[\phi^{-}(t)]^{m} + g(t) - \qquad (1)$$

where n, m are integers greater than or equal to one, $t \in$ L.
    Solvability of problem (1) is investigated for $x = $ ind $G(t) \geq 0$. It turns out that under the given assumptions this problem is not always solvable, and the properties of the function arg $g(t)$ begin to play a definite role.
    Two theorems regarding the solvability of problem (1) are proved, and an example of the problem is presented:
1/2

USSR

ARZHANOV, G. V., Izvestiya Vysshikh Uchebnykh Zavedeniy -- Matematika, No 3, 1970, pp 3-5

$$[\Phi^+(t)]^4 = t^3[\Phi^-(t)]^4 + t(t - 1 - i)^{5/2}.$$

Such functions as $\Phi^+(z) = [C(z - t_1)(z - t_2)(z - t_3) + z(z - 1 - i)^{5/2}]^{1/4}$, $\Phi^-(z) = [Cz^{-3}(z - t_1)(z - t_2)(z - t_3)]^{1/4}$ where $t_1 = 1$, $t_2 = (1 + i)/\sqrt{2}$, and $t_3 = 1$ - serve as its solution.

2/2

USSR

UDC: 621.396.69:621.372.54

ARZHANOV, V. A., KOSTAREV, V. Ye, and KHAUSTOV, V. V.

"Electromechanical Filters and Delay Lines With Torsion Oscilla-
tions"

V sb. tr. Nauchno-tekhn. konferentsii prof.-prepodavat. sostava
Vses. zaochn. elektrotekhn. in-ta svyazi (Transactions of the Sci-
entific Conference of Professorial-Instructor Staff of the All-
Union Correspondence Electrical Engineering Communications Insti-
tute) No. 5, Moscow, 1970, pp 83-86 (from RZh-Radiotekhnika, No. 3,
March 71, Abstract No. 3V553)

Translation: The advantage of electromechanical over quartz filters
is examined. For tuning electromechanical filters, a measurement
circuit is recommended with compensation of the d-c component and
positive feedback, made up of two transformers, the secondary wind-
ings of which are oppositely connected. Such a circuit can be
used to measure the resonance frequencies of the mechanical re-
sonators in the range of 90-150 kHz with an error of ±2 Hz.
Three illustrations, bibliography of one.

1/1

USSR
ARZHANYKH, I. S.

"A Class of Maxwell Equation Solutions"

Abstract: The author proposes the application of the theory of analytic functions of the complexes

$$x = x_0 + \sum_{\sigma=1}^{s} x_\sigma \, \epsilon_\sigma, \quad \epsilon_\pi \epsilon_\rho = \delta_{\pi\rho}^0 + \sum_{\sigma=1}^{s} \gamma_{\pi\rho}^{\sigma} \epsilon_\sigma \qquad (1)$$

to the integration of the Maxwell electromagnetic equations

$$\left. \begin{array}{l} \dfrac{1}{c} \dfrac{\partial \vec{H}}{\partial t} + \operatorname{curl} \vec{E} = 0, \ \operatorname{div} \vec{H} = 0 \\[2ex] \dfrac{1}{c} \dfrac{\partial \vec{E}}{\partial t} - \operatorname{curl} \vec{H} = 0, \ \operatorname{div} \vec{E} = 0 \end{array} \right\} \qquad (2)$$

and their solution. The theory is a natural generalization of the theory of functions of a complex variable, and is especially valuable for solving equations of the type of (2). The author
1/2

- 12 -

USSR

UDC: 517.947

ARZHANYKH, I..S., <u>Izvestiya Akademii nauk UzSSR—Seriya fiziko-matematicheskikh nauk</u>, No 5, 1972, pp 57-58

is connected with the V. I. Romanovskiy Institute of Mathematics, Uzbek Academy of Sciences.

2/2

USSR   UDC 512.831

ARZHANYKH, I. S., GUGNINA, V. K., and LOGINOV, B. V., Institute of Mathe-
matics imeni V. I. Romanovskiy, Academy of Sciences Uzbek SSR

"On a Generalization of the Hamilton-Cayley Theorem for Multiparameter
Matrices and on Root Vectors of Polynomial Matrices"

Abstract: Previous articles by the authors proved the Hamilton-Cayley theorem
for polynomial matrices of the type $\phi(\lambda) = \lambda^s I - \lambda^{s-1} A_1 - \ldots - \lambda A_{s-1} - A_s$ where A_1,
..., A_s are square matrices of order n; I is an identity matrix; λ is a
parameter. The present article generalizes this result for the case of
several parameters λ_1, λ_2, ..., λ_m, then gives a natural definition of
root vectors of polynomial matrices.

1/1

USSR   UDC 512.831

ARZHANYKH, I. S., Institute of Mathematics imeni V. I. Romanovskiy, Uzbek SSR
Academy of Sciences

"Direct Generalization of the Hamilton-Cayley Theorem"

Abstract: As a continuation of previous research in the same field, this
article generalizes the Hamilton-Cayley theorem for polynomial matrices, and
then gives a direct generalization of this important theorem using matrix-
complexes. Citing the theorem that quadratic matrices of identical order of
magnitude satisfy the equation the author gives two examples in which the

$$(-1)^r SA_1 A_2 \cdots A_n +$$
$$+ \sum_{\nu=1}^{n} \Delta_\nu \, SA_1 \cdots A_{\nu-1} A_{\nu+1} \cdots A_n + \cdots +$$
$$+ \sum_{\nu_1 < \nu_2 < \cdots < \nu_p} \Delta_{\nu_1 \nu_2 \cdots \nu_p} SA_1 \cdots$$
$$\cdots A_{\nu_1 - 1} A_{\nu_1 + 1} \cdots A_{\nu_p - 1} A_{\nu_p + 1} \cdots A_n + \cdots$$
$$\cdots + \Delta_{23 \cdots n} A_1 + \Delta_{13 \cdots n} A_2 + \cdots$$
$$\cdots + \Delta_{12 \cdots n-1} A_n' + \Delta_{12 \cdots n} I = 0 ,$$

1/2

USSR

ARZHANYKH, I. S., Izv Akad Nauk Uzbek SSR, ser Fiz-Mat Nauk, No 2, 1971, pp 61-63

determinant is constructed and the identity is found. In the second example he takes three matrices of third order, constructs the determinant, and finds the identity. The author makes the comment that this same method is used to generalize the Hamilton-Cayley theorem for polynomial matrices. The author refers to only one bibliographic citation that is the basis of the present paper.

2/2

USSR

ARZHANYKH, I. S., and DURDYYEV, KH., Physicotechnical Institute of the Academy of Sciences Turkmen SSR

"On Certain Generalizations of a Complex Variable"

Abstract: The laws of composition for rings in the theory of complexes developed by I. S. Arzhanykh are formulated. The structure of the theory of complexes is formulated in the following manner: let $x_0, x_1, \ldots, x_s$ be real variables and $\varepsilon_1, \varepsilon_2, \ldots, \varepsilon_s$ be certain elements satisfying the commutative and associative laws of composition

$$\varepsilon_i \varepsilon_\mu = \gamma^0_{i\mu} + \sum_{1}^{s} \gamma^v_{i\mu} \varepsilon_v,$$

where $\gamma^k_{i\mu}$ $(k = 0, 1, \ldots, s; i, \mu = 1, 2, \ldots, s)$

1/2

USSR

are real numbers. Distributiveness is assumed to be satisfied. The conjugate complex $\bar{x}$ and the characteristic $\chi[x] = x\bar{x}$ are introduced to carry out the division operation. Division in a ring of complexes is possible only on those complexes where the characteristic is different from zero. The conjugate complexes and characteristics are calculated for the rings $K_{-1} + K_{-1}$, $K_{-1} + K_{+1}$, $K_{-1} \times K_{-1}$, $K_{-1} + K_0$, $K_{-1} \times K_{+1}$, and $K_{-1} \times K_0$.

2/2

TITLE--OXYGEN THERAPY AND ENZYMATIC ACTIVITY IN OLD AGED PERSONS -U-

AUTHOR-(02)-ARZHANYKH, N.G., NEYKO, YE.M.

COUNTRY OF INFO--USSR

SOURCE--VRACHEBNOYE DELO, 1970, NR 4, PP 95-98

DATE PUBLISHED-------70

SUBJECT AREAS--BIOLOGICAL AND MEDICAL SCIENCES

TOPIC TAGS--TRANSFERRIN, OXYGEN THERAPY, ENZYME ACTIVITY, GERIATRICS

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED

PROXY REEL/FRAME--3002/1688   STEP NO--UR/0475/70/000/004/0095/0098

CIRC ACCESSION NO--AP0129058
                    UNCLASSIFIED

CIRC ACCESSION NO--AP0129058

ABSTRACT/EXTRACT--(U) GP-0-   ABSTRACT. CERULOPLASMIN AND TRANSFERIN
INDICES HAVE BEEN STUDIED IN 45 OLD AGED PERSONS AND IN A CONTROL GROUP
OF MIDDLE AND YOUNG AGED PERSONS. RESULTS INDICATE AN INCREASE OF
CERULOPLASMIN WITH AGE. ENTERAL OXYGEN THERAPY IN OLD AGED PERSONS,
STIMULATING METABOLISM, IMPROVED TO SOME EXTENT CERULOPLASMIN
METABOLISM. INDICES OF BLOOD PLASMA TRANSFERIN STAURATION CHANGE
LITTLE WITH AGE AND DO NOT SIGNIFICANTLY ALTER FOLLOWINC ENTERAL OXYGEN
THERAPY.   FACILITY: IVANO-FRANKOVSKOGO MEITSINSKOGO INSTITUTA.

UNCLASSIFIED

USSR   UDC   681.327.64

ARZHEUKHOV, L. B.

"A Device for Correcting Errors in Digital Multichannel Magnetic Tape
Storage Units"

Moscow, Otkrytiya, izobreteniya, promyshlennyye obraztsy, tovarnyye znaki,
No 24, Aug 71, Author's Certificate No 311269, Division G, filed 29 Dec
69, published 9 Aug 71, p 179

Translation: This Author's Certificate introduces a device for correct-
ing errors in digital multichannel magnetic tape storage units. The
device uses redundant data coding and contains a buffer register, a
coding and decoding unit, a correction unit, a shift counter, and a con-
trol module. As a distinguishing feature of the patent, multiple and
group errors in words are corrected while maintaining code redundancy
by connecting a unit for time expansion and compression of words between
the coding and decoding unit and the channels for recording and playback
of information from the magnetic tape. The inputs of the expander-
-compressor are connected respectively to the outputs of the flip-flops

1/2

USSR

ARZHEUKHOV, L. B., Otkrytiya, izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, No 24, Aug 71, Author's Certificate No 311269, Division G, filed 29 Dec 69, published 9 Aug 71, p 179

for the output digits of the main shift register and the remainder register of the coding and decoding unit and to the channels for play-back of information from the magnetic tape, while the outputs of the expander-compressor are connected respectively to the inputs of the flip-flops for the output digits of the main shift register and to the channels for recording information on the magnetic tape. The expander-compressor is also connected to the shift counter and the control module.

2/2

- 62 -

USSR   UDC   621.396.969

ARZHEUKHOV, L. B.

"A Device for Reproducing Binary Information From a Magnetic Medium"

Moscow, Otkrytiya, Izobreteniya, Promyshlennyye Obraztsy, Tovarnyye Znaki, No 5, Feb 72, Author's Certificate No 327605, Division H, filed 14 Apr 70, published 26 Jan 72, p 170

Translation: This Author's Certificate introduces a device for reproducing binary information from a magnetic medium. The device contains a gating pulse module, linear amplifiers and strobing shaper-limiters. As a distinguishing feature of the patent, the probability of false reproduction is reduced by connecting linear switches across the outputs of the elements. These switches are connected to minimum and maximum noise discrimination stages, and the outputs of these stages are connected to a weighted summation stage which controls the threshold of formation of reproduction signals. The minimum signal discrimination stage contains elements connected in parallel for fixing the level of the signals at adjacent strobing points. These elements are periodically reset to zero.

1/1

USSR

ARZUMANOV, A. A., NEMENOV, L. M., ANISIMOV, O. K., BATALIN, S. S.,
VOLKOV, B. A., GROMOV, D. D., KRAVCHENKO, Ye. T., KRUGLOV, V. G.,
NIGMATOV, M. Kh., POPOV, Yu. S., PROKOV'YEV, S. I., and RYBIN, S. N.

"Isochronic Cyclotron With Controllable Ion Energy"

Abstract: A discussion of the isochronic cyclotron with controllable
ion energy built around the U-150-2 accelerator installed in the
Institute for Nuclear Physics of the Kazakh SSR Academy of Sciences
in 1965 is given. Calculations of the fundamental parameters made
with an electronic computer are presented, together with the results
of a theoretical analysis, a large part of which was based on approxi-
mation   methods. These results were verified by a numerical
method. The description is given of a program developed for in-
vestigating and modeling the magnetic field on a mock-up with a
scale of 1:3. An outline drawing of the magnetic arrangement is
given, along with curves of the magnetic field. The current correc-
tion for the magnetic field is explained, with an illustrative
photograph of the correction winding. Also discussed are the
1/2

USSR
UDC: 631.384.6.5

ARZUMANOV, A. A., et al, <u>Izvestiya AN KazSSR--Teriya Fiziko-matematicheskaya</u>, No 4, 1973, pp 6-15

high-frequency system and the slit-type ion source, the ions entering the accelerator chamber radially. Curves for the change in beam intensity for accelerated alpha particles are plotted as a function of the accelerator radius. A photograph of the area of installation, showing a beam of protons in air with an energy of 30 Mev, is reproduced together with a photograph of the equipment itself.

2/2

- 76 -

USSR

UDC 612.821.2+612.822.3

KOSTANDOV, E. A. and ARZUMANOV, Yu. L., Central Scientific Research Institute of Forensic Psychiatry imeni V. P. Serbskiy, Moscow

"The Role of Association in the Development of Evoked Potentials in the Human Cerebral Cortex"

Abstract: Fourteen 20-45-year-old adults were used in a study of the characteristics of evoked electrical activity in the cortex in response to pairs of visual stimuli, presented with a 1-second pause between them. The stimuli were representations of (1) an arrow and (2) a word with a neutral or an emotional connotation. The subjects were required to respond differently to each stimulus. It was found that when meaningful visual stimuli were repeatedly presented in succession, the average potential evoked by the second stimulus had a short latent phase and was often registered before the stimulus was presented. The average potentials evoked in the visual cortex by an arrow combined with an "emotional" word developed earlier, with a higher amplitude in the late positive potential, than when the arrow preceded a "neutral" word; no analogous difference in cortical activity was observed in

1/2

USSR

KOSTANDOV, E. A. and ARZUMANOV, Yu. L., Zhurnal Vysshey Nervnoy Deyatel'nosti,
Vol 23, No 3, May/Jun 73, pp 523-531

the area of the vertex. A temporary direct and inverse relationship was
observed between changes in potentials that are evoked by stimuli between
which an association has been established.

2/2

USSR   UDC 612.822.3

KOSTANDOV, E. A., and ARZUMANOV, YU. L., Central Scientific Research Institute of Forensic Psychiatry imeni V. P. Serbskiy, Moscow

"Dependence of Conditioned Slow Negative Potentials of the Human Cerebral Cortex on Motivation and Emotion"

Abstract: Conditioned slow negative cortical potentials (CNV, identical with Walter's contingent negative variations) were recorded from the occiput of healthy subjects during 1-sec intervals between two stimuli. The first stimulus (a sound) was a warning, while the second stimulus (a "neutral" word flashed on the screen) was a command to depress a key. The tests were done under conditions of different motivations: a) the subject was simply instructed to press the key, b) he was emphatically requested to perform this action fast, and c) he was promised and subsequently given a piece of chocolate candy for each fast action; and in a state of anxiety: he was given an electric shock for each slow action. In the presence of motivation, the CNV significantly increased and the reaction time diminished. The increase in CNV magnitude was proportional to the degree of motivation. The smallest CNV were observed in the 1/2

USSR

KOSTANDOV, E. A. and ARZUMANOV, YU. L., Zhurnal Vysshey Nervnoy Deyatel' nosti imeni I. P. Pavlova, Vol 22, No 4, Jul/Aug 72, pp 679-687

state of anxiety, indicating that negative emotional experience exerts a depressing effect. No special correlation was found between the magnitude of the CNV and the duration of the reaction time. It is believed that the CNV is associated with the mechanism of short-time memory in which the limbic system activates the thalamic-cortical system of selective attention.

2/2

USSR   UDC 612:822.3+615.5

KOSTANDOV, E. A., and ARZUMANOV, YU. L., Central Scientific Research Institute
of Forensic Psychiatry imeni V. P. Serbskiy, Moscow

"Changes in Cortical Evoked Potentials in Response to Emotional Visual Stimuli
in Man Under the Influence of Amizil"

Abstract: In a previous work, the authors discovered that visually presented
stimuli having a positive emotional content for the subject caused an increase
in the amplitude and a shortening of the latent period of the late positive
component of the subject's averaged evoked potentials. In this article they
verified their hypothesis that these changes, which were observed in the visual
zone of the cortex but not in the vertex, were caused by additional impulsa-
tion from the limbic structures of the brain, which integrate emotional reac-
tions. Their hypothesis was confirmed by the fact that the administration of
amizil, a drug which inhibits the cholinergic mechanism of the limbic system,
temporarily eliminated the difference in the subjects' responses to positive
emotional and neutral stimuli.
        The authors also investigated the effect of amizil on the psychophysio-
logical recognition thresholds of neutral and emotional stimuli. In all of the
subjects tested, the two thresholds differed considerably under normal circum-
stances. However, in some of the subjects, the administration of amizil
eliminated this difference. 1/1

USSR

UDC 612.822.3+621.843.7

KOSTANDOV, E. A. and ARZUMANOV, Yu. L., Central Research Institute of Forensic
Psychiatry imeni V. P. Serbskiy, Moscow

"Averaged Evoked Potentials of the Human Cortex in Response to Emotional
Visual Stimuli"

Moscow, Zhurnal Vysshey Nervnoy Deyatel'nosti, No 4, 1971, pp 811-819

Abstract: Evoked potentials were studied in 10 adult psychopaths in response
to the appearance on a screen of single "neutral" or "emotional" words relat-
ing to a severe current conflict situation in their lives. A late positive
wave with a latency of about 300 msec (P_{300}) proved to be the most regular
component of the evoked cortical potentials in response to the verbal stimuli.
A late positive wave of greater amplitude was derived from the occipital
region in response to emotionally charged words; the latent period was
shorter than when neutral stimuli were used. In the region of the vertex, no
significant difference was noted in the parameters of the evoked potential
regardless of the nature of the verbal stimuli.

1/1

USSR

UDC: 621.391.883.2

ARZUMANYAN, Yu. V.

"Interference Immunity of a Structural-Correlation Filter in a Channel With Spectrally Lumped and Fluctuation Interference"

V sb. Materialy Nauch.-tekhn. konf. Leningr. elektrotekhn. in-t svyazi. Vyp. 1 (Materials of the Scientific and Technical Conference of Leningrad Electrical Engineering Institute of Communications--collection of works, No 1), Leningrad, 1971, pp 35-40 (from RZh-Radiotekhnika, No 3, Mar 72, Abstract No 3A30)

Translation: The paper deals with questions of the interference immunity of a proposed algorithm for the case of mono-harmonic interference with unknown parameters. Results are presented from an experimental study of a situation where a solution is found for the problem of detecting a completely known variant of a signal against a background of quasideterm-inistic and fluctuation interference. Resumé.

1/1

USSR

PLOTKIN, Ye. I., ARZUMANYAN, Yu. V.

UDC 621.372.061

"Nonlinear Structural Filter Under the Effect of Oscillations of Complex Shape"

Materialy nauchno-tekhn. konferentsii Leningr. elektrotekhn. in-t svyazi. Vyp 2 (Materials of the Scientific and Technical Conference. Leningrad Electrotechnical Communications Institute. Vyp. 2), Leningrad, 1970, pp 7-12 (from RZh-Radiotekhnika, No 8, Aug 70, Abstract No 8A140)

Translation: This article contains an analysis of the operation of a nonlinear structural filter which is under the effect of deterministic and stochastic signals. It is demonstrated that the filter has a number of peculiarities distinguishing it from known nonlinear converters.

1/1

USSR

ASABAYEV, CH., Laboratory of Radiofrequency Electromagnetic Radiation, Institute of Labor Hygiene and Occupational Diseases, Academy of Medical Sciences USSR and Laboratory of Electrophysiology of Conditioned Reflexes, Institute of Higher Nervous Activity and Neurophysiology, Academy of Sciences USSR, Moscow

"Threshold Sensitivity of the Rabbit Brain to Pulses of Super-High Frequency Electromagnetic Fields"

Abstract: The threshold of sensitivity of the rabbit central nervous system to pulses of super-high frequency electromagnetic radiation was studied by using 20 rabbits with silver wire electrodes implanted in the calvarium overlying the sensorimotor and visual cortex areas and reference electrodes in the nasal bones. Four-channel EEG recordings were used to assess changes in CNS activity. Fields of 2 mw/cm^2 intensity produced no EEG change during a 3 minute irradiation period, while fields of 10 and 250 mw/cm^2 cm produced an increase in slow waves and spindles. The latency period of the observed reaction decreased with increased intensity.

1/1

USSR

UDC: 621.317.616(088.8)

ASABIN, A. P. and KUNDEL', L. K.

"Panoramic Device for Measuring Frequency Characteristics With Raster Scanning"

Avt. sv. SSSR (Author's certificate USSR) Class 21e, 36/03; (G 01 r 23/14), No. 269296, Application 6.02.69, Publication 6.08.70 (from RZh-Radiotekhnika, No. 3, March 71, Abstract No. 3A404P)

Translation: A panoramic device is proposed for measuring frequency characteristics with raster scanning, consisting of a comparator, a summing circuit, and a cathode-ray tube. In the proposed device, for the purpose of simplifying its circuit and increasing the accuracy of measurement, a step-voltage generator with a decoder whose output is connected to the measuring device CRT through the summing circuit, is itself connected to one of the comparator inputs. E. L.

1/1

- 93 -

USSR

UDC:[537.226+537.311.33]:[537+535]

KULIYEV, A. Z., OKHOTIN, A. S., ASADOV, D. A., and KAKHRAMANOV, K. Sh.

"Effect of Deformation on the Thermoelectrical Characteristics of Bi_2Te_3-Bi_2Se_3"

V sb. Teplofiz. svoystva tverd. tel (Thermophysical Characteristics of Solids--collection of works) Kiev, Nauk. dumka, 1971, pp 30-33 (from RZh-Fizika, No. 11, 1971, Abstract No. 11E1075)

Translation: The effect of external, single-sided pressure (up to 250 kg/cm^2) on the electrical conductivity (σ), the thermal emf coefficient (α), and the thermal conductivity ($\varkappa$) of a solid solution of n-type 80% Bi_2Te_3-20% Bi_2Se_3 are investigated in the temperature interval of 300-500° K. It is established that at 300° K, with an increase in load from 0 to 100 kg/cm^2, σ increases linearly to more than double its value. With elevations in temperature, this type of sharp increase in σ is not observed. The change in α did not exceed 10%. An increase in $\varkappa$ is also observed with increasing deformation, reaching a maximum at 100 kg/cm^2. The reduction of σ and $\varkappa$ at pressures >100 kg/cm^2 is explained by electron and phonon dispersion in the defects formed. G. I. Makovetskiy.

1/1

- 111 -

1/2   015   UNCLASSIFIED   PROCESSING DATE--04DEC70
TITLE--RHYTHMIC NATURE OF THE GROWTH OF A NEW PHASE IN POTASSIUM NITRATE
-U-

AUTHOR-(02)-ASADOV, YU.G., NASIROV, V.I.

COUNTRY OF INFO--USSR

SOURCE--DOKL. AKAD. NAUK SSSR 1970, 191(6), 1280-1

DATE PUBLISHED-------70

SUBJECT AREAS--CHEMISTRY, PHYSICS

TOPIC TAGS--POTASSIUM NITRATE, CRYSTAL GROWTH

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--3008/1259   STEP NO--UR/0020/70/191/006/1280/1281

CIRC ACCESSION NO--AT0138270
                         UNCLASSIFIED

UNCLASSIFIED

CIRC ACCESSION NO--AT0138270   PROCESSING DATE--04DEC70

ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. THE MORPHOLOGY OF THE POLYMORPHIC
TRANSFORMATION IN KNO SUB3 WAS STUDIED. THE HIGH TEMP. BETA PHASE KNO
SUB3 CRYSTALS GROW RHYTHMICALLY FROM THE LOW TEMP. ALPHA PHASE; SUCH A
GROWTH PROCESS INVOLVES TRANSITION OF THE ALPHA TO THE BETA PHASE BY
DISCRETE, COMPLETELY IDENTICAL LAMELLAS. THE D. OF ALPHA AND BETA
CRYSTALS DIFFERS CONSIDERABLY, P SUBALPHA MINUS P SUBBETA EQUALS 0.117
G-CM PRIME3. THE BETA CRYSTALS NUCLEATE INSIDE THE ALPHA CRYSTALS AND
GROW AT A HIGH RATE ALONG (100) DIRECTION. BECAUSE THE TRANSITION
OCCURS ONLY AT T GREATER THAN OR EQUALS TO T SUBO (127DEGREES), THE
CONTACT BETWEEN LAMELLAS IS NOT BROKEN, NEW NUCLEI OF BETA PHASE ARE
FORMED, AND GROWTH OF BETA CRYSTALS IS CONTINUED.   FACILITY:
INST. FIZ., BAKU, USSR.

UNCLASSIFIED

USSR

ASADULLIN, G. E.

"The Stability of Elastic Truncated Conic Shells During the Simultaneous Action of External Pressure and Cantilever Deflection"

Translation: A study is made of a conical shell, bracket-fastened at the larger base abd loaded by an external pressure; to the center of the smaller base is applied a force lying in the plane of the base. It is assumed that the critical combination of the bending force and the external pressure, at which the conical shell loses stability, may be written as follows:

$$(P/P_{\kappa p})^a + (q/q_{\kappa p})^b = 1$$

$$q_{\kappa p} = cE\,(h/r_1)^{5/2}\,(\operatorname{ctg}\gamma)^{3/2}\,(1-\nu^2)^{-3/4}$$

$$P_{\kappa p} = 2\pi r_0 \sin\gamma \frac{Eh}{(1-\nu^2)^{3/4}}\left(\frac{h}{r_0\operatorname{tg}\gamma}\right)^{5/4}\left(\frac{r_0\operatorname{tg}\gamma}{l}\right)^{1/2} \times$$

$$\times\left[0.29 + 0.19\frac{l}{r_0}\;0.082 + \left(\frac{l}{r_0}\right)^2\right]$$

1/2

USSR

ASADULLIN, G. E., Sb. Aspirantsk. Rabot, Kazan' Un-t. Tochn. Nauki, Mekh, Fiz., 1971, pp 41-44

Here E is the Young Modulus; $\sqrt{}$ is the Poisson coefficient; H is the thickness, L is the length of the generatrix; $2\sqrt{}$ is the angle at the vortex of the cone; P, q is the bending force and the external pressure; P_{kp}, q_{kp} is their respective critical value during isolated action; r_0 and r_1 is the distance from the vortex of the cone along the generatrix to the smaller base and to the larger base. The values of parameters c, a, b are found experimentally. For the experimental study the shells were made by point welding from sheet 0.28 mm thick and had the following parameters; $r_1/r_0 = 3.33$, $2\gamma = 30°$. Six shells were tested in the presnece of external pressure. After processing of the results of these experiments, the parameter c was considered as equalling 2.2. Ten shells were tested for the combined action of flexure and external pressure. On the basis of the obtained experimental data, it is recommended to assume that a = b = 2.

2/2

USSR

ASADULLIN, G. E., and ZALALDINOV, F. Z.

"The Stability of Elastic Cylindrical Shells With the Simultaneous Action of Deflection and Axial Compression"

Translation: Within the framework of the theoretical and experimental method of A. V. Sachenkov (Collection of Research Works on the Theory of Plates and Shells. No 6-7 Kazan', Kazan' University, 1970, pp 391-433, RZhMekh, 1971, 3V395), an investigation is made of the stability of a bracket-fastened circular cylindrical plate, loaded on the free edge, through a rigid frame, by a transverse force and a longitudinal force. The inhomogeneous zero-moment initial stressed state of the shell is replaced by a homogeneous one, so that the problem is reduced to the problem of stability of the shell during combined loading by uniform torsion and axial compression. The coefficients in the equation which determines the stability boundary are obtained from an experiment with 24 shells, made by electric point welding from sheet steel Khl8N9. Scattering of the experimental values of the critical load comprised 2-12%.
1/1

. USSR .

ASADULLIN, G. E., SACHENKOV, A. V.

"Elastic Stability of Cantilever Conical and Cylindrical Envelopes in Bending"

Sb. Aspirantsk. Rabot. Kazan. Un-t. Tochen. Nauki, mekh., Fiz. [Collection of Graduate Papers of Kazan University, Precise Sciences, Mechanics, Physics], Kazan', 1971, No 1, pp 3-10, (Translated from Referativnyy Zhurnal, Mekhanika, No 4, 1972, Abstract No 4 V395 by V. P. Mal'tsev).

Translation: Envelopes made by spot welding type Khl8N9 steel strip are used in an experimental study of stability during bending of cantilever conical envelopes fastened at the large base. A transverse force in the same plane as and passing through the center of circularity of the base is applied to the small base. Conical envelopes with tip angles of 0, 30, 45, 60 and 90° were tested. Parameter r_1/r_0 was varied from 1.25 to 6.67 (where r_1 and r_0 are the distance from the tip of the cone along the generatrix to the larger and smaller bases). Analysis of the equations and experimental data produced for critical bending force results in the following recommended formula:

$$P_{\kappa} = \pi E h^3 \cos \gamma \, (1 - \nu^2)^{-5/8} \sqrt{h r_* \, \lg \gamma_1 (r_1 - r_0)^2} \times$$
$$\times (0.58 + 0.40 \sqrt{r_1/r_0 - 1})$$

1/2

- 96 -

USSR

ASADULLIN, G. E., SACHENKOV, A. V., Sb. Aspirantsk. Rabot. Kazan. Un-t.
Tochen. Nauki, mekh., Fiz., Kazan', 1971, No 1, pp 3-10.

where E is the Young modulus, ν is Poissons coefficient, γ is the half-aper-
ture angle of the cone, h is the thickness of the envelope.
    It is noted that where $\lambda = (r_1 - r_0)/r_0 < 4$, the envelope loses stability
with the formation of a group of inclined waves in the zones of greatest shear
forces. Where at $\lambda = 4$, in addition to the shear form of convecity, rhombic
waves are formed, characteristic for the loss of stability due to axial com-
pression. Further increases of λ cause this form of loss of stability to be-
come predominant.

2/2

USSR

UDC: 621.316.84

ZLATOUSTOV, S. V., OSTROVA, S. O., and ASADULLINA, V. R.

"Measuring Current Noise in Quality Control of Thin-Film Resistors"

Kiev, Izvestiya VUZ -- Radioelektronika, Vol. 13, No. 9, 1970, pp 1124-1128

Abstract: In view of the fact that resistors comprise about 30-40% of all the components in most electronic circuitry and that they are growing smaller with advances in miniaturization, their quality control is important. This article gives the results of experiments performed to find a relationship between the current noise level of thin-film resistors and their quality, and whether use of current noise level as an index to the reliability of resistors is justified. A block diagram of the noise meter circuit is shown. This version had to be used in place of standard equipment for measuring resistor noise since standard equipment has insufficient sensitivity for resistors with such low power ratings.

1/2

USSR

The authors' analysis of the results of the experiment showed a high correlation between resistor noise and quality, with the noisiest resistors exhibiting the poorest quality, to the extent that the reliability of resistors can be predicted on the basis of their showing in this test. In these experiments, the noise level was measured in microvolts per volt of applied voltage in a band of 10 kHz. The authors conclude that 100% control can be attained in control automation using the modulation noise meter they propose in thin-film resistor assembly line manufacture.

2/2

UNCLASSIFIED   PROCESSING DATE--13NOV70

TITLE--KINETICS OF CATION ADSORPTION FROM SOLUTIONS OF LOW CONCENTRATIONS BY ANION EXCHANGERS BASED ON POLYETHYLENEPOLYAMINES -U-

AUTHOR-(05)-ASANBADZE, G.D., KOPYLOVA, V.D., SALDADZE, K.M., GINTSBERG, E.G., KOVARSKAYA, B.M.

COUNTRY OF INFO--USSR

A

SOURCE--ZH. FIZ. KHIM. 1970, 44(1), 257

DATE PUBLISHED------70

SUBJECT AREAS--CHEMISTRY

TOPIC TAGS--ANION EXCHANGE RESIN, COPPER, COBALT, NICKEL, CATION, POLYETHYLENE, POLYAMINE, DIFFUSION COEFFICIENT

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED

PROXY REEL/FRAME--1989/0473   STEP NO--UR/0076/70/044/001/0257/0257

CIRC ACCESSION NO--AP0107079

UNCLASSIFIED

CIRC ACCESSION NO--AP0107079

ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. THE ADSORPTION OF CU PRIME2 POSITIVE, CO PRIME2 POSITIVE, OR NI PRIME2 POSITIVE CATIONS ON THE TITLE EXCHANGER BELOW 25DEGREES IS GOVERNED BY THE DIFFUSION RATE INTO THE EXCHANGER GRAINS. ABOVE 35DEGREES AND GREATER THAN OR EQUAL TO 0.001M CATION CONCN. THE DIFFUSION INTO THE EXCHANGER GEL PARTICLES IS THE PREDOMINANT FACTOR. THE DIFFUSION COEFFS. ARE 4.57 TIMES 10 PRIME NEGATIVE9, 5.27 TIMES 10 PRIME NEGATIVE9, OR 6.4 TIMES 10 PRIME NEGATIVE9 CM PRIME2-SEC FOR CU PRIME2 POSITIVE, OR N PRIME2 POSITIVE, RESP.

UNCLASSIFIED

1/2 014 UNCLASSIFIED PROCESSING DATE--20NOV70
TITLE--EFFECT OF THE ICN COMPOSITION OF ANION EXCHANGERS ON THE ADSORPTION
OF CATIONS -U-

AUTHOR-(03)-KOPYLOVA, V.D., SALDADZE, K.M., ASAMBADZE, G.D.

COUNTRY OF INFO--USSR

SOURCE--ZH. NEORG. KHIM. 1970, 15(4), 1074-9

DATE PUBLISHED-------70

SUBJECT AREAS--CHEMISTRY

TOPIC TAGS--ANION EXCHANGE RESIN, ADSORPTION, POLYETHYLENE, AMINE
DERIVATIVE/(U)AN31 ANION EXCHANGE RESIN, (U)EDE10P ANION EXCHANGE RESIN,
(U)ANZF ANION EXCHANGE RESIN, (U)AV16 ANION EXHANGE RESIN

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--3004/2031   STEP NO--UR/0078/70/015/004/1074/1079

CIRC ACCESSION NO--AP0132288
                    UNCLASSIFIED

2/2   014   UNCLASSIFIED   PROCESSING DATE--20NOV70
CIRC ACCESSION NO--AP0132288
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT.   EXPTS. WERE MADE ON POLYETHYLENE
POLYAMINE ANION EXCHANGERS AN-31, EDE-10P, AN-2F, AND AV-16.   INCREASED
CONCN. OF THE HYDRATE FORM OF THE AMINO GROUPS IN THE EXCHANGERS CAUSES
INCREASED SORPTION OF CATIONS DUE TO THE EQUIL R SUB3 NH PRIME POSITIVE
PLUS HOH IN EQUILIBRIUM R SUB3 N, HOH PLUS H PRIME POSITIVE. FORMATION
OF COORDINATION COMPLEXES BETWEEN CATIONS AND AMINO GROUPS CAUSES A
MARKED DECREASE OF SOLN. PH.

UNCLASSIFIED

USSR

UDC 15.541.64.661.723 - 16.678.743

ASAMOV, M. K., MUSAKHANOVA, S. M., and TKACHENKO, A. A., Tashkent Order of
the Red Banner of Labor State University imeni V. I. Lenin

"Radiation Grafting of Vinylidene Fluoride on Polyvinyl Chloride From a
Liquid Phase in Presence of 1,1-Dichloroethane"

Abstract: Vinylidene fluoride was grafted from a liquid phase onto poly-
vinylchloride by the radiation method in presence of 1,1-dichloroethane.
It was established that the polymerization rate is directly proportional
to the dose strength. Grafting vinylidene fluoride onto polyvinyl chloride
improves fire retardant properties of the grafted copolymers, making them
also resistant to organic solvents.

1/1

USSR   UDC [537.226+537.311.33]:[537+535]

ZAVADOVSKAYA, YE. K., DZHAPAROV, R. D., ASANBAYEVA, D. A.

"Dielectric Losses in Nonequilibrium Alkali-Halide Solid Solutions"

Translation: The effect of the decay of ionic solid solutions of NaCl-KCl
and NaBr-KBr on their dielectric losses and electrical conductivity is explained.
The absorption spectra are measured in the region of F-center absorption.

1/1

USSR

ASANOV, R. A., Joint Institute of Nuclear Research

"Example of a Closed Universe With Sources of a Massless Scalar Field"

Abstract: An example of a homogeneous isotropic closed universe filled with dust-
like material without pressure and with a scalar massless field with sources is
constructed. In the discussion of the problem of the possibility of constructing
a closed universe in the presence of different fields interacting with matter, it
is noted that the presence of an electric charge prevents the formation of a
spherical closed configuration. The situation is said to be basically different
in the case of a scalar field primarily because of the absence of a law for the
conservation of the corresponding charge; the scalar field also makes a negative
contribution to the mass of the source, so that it might be expected that the
scalar field will not prevent the formation of a closed universe. Expressions
are obtained for the equation of the scalar field and the density of sources of
the scalar field. Analysis of these expressions indicates that a scalar field
with mass will not prevent the formation of a closed universe.

1/1

USSR

UDC 519.21

ASANOVA, M. I.

"Methods of Orthogonalization During Solution of Problems in the Course of the Theory of Probabilities"

Sb. Statey po Mat. Chelyabinsk. gos. ped. In-t [Collected Articles on Mathematics, Chelyabinsk State Pedagogics Institute], No 2, 1970, pp 204-211, (Translated from Referativnyy Zhurnal, Kibernetika, No 6, 1971, Abstract No 6 V3 by V. Prelov).

Translation: The possibility is illustrated of using the apparatus of mathematical logic (in particular, of using the ideas of orthogonalization of logical algebra functions) to solve certain problems in the elementary theory of probabilities.

USSR

UDC 519.21

ASANOVA, M. I.

"Methods of Orthogonalization During Solution of Problems in the Course of the Theory of Probabilities"

Sb. Statey po Mat. Chelyabinsk. gos. ped. In-t [Collected Articles on Mathematics, Chelyabinsk State Pedagogics Institute], No 2, 1970, pp 204-211. (Translated from Referativnyy Zhurnal, Kibernetika, No 6, 1971, Abstract No 6 V3 by V. Prelov).

Translation: The possibility is illustrated of using the apparatus of mathematical logic (in particular, of using the ideas of orthogonalization of logical algebra functions) to solve certain problems in the elementary theory of probabilities.

1/1

USSR

ALIKHANYAN, A. I., ASATIANI, T. L., AVAKYAN, K. M., ZHIROVA, L. A., IVANOV, V. A., KRISHCHYAN, V. M., MATEVOSYAN, E. M.

"Measurement Accuracy of Charged Particle Pulses in Wide-Gap Spark Chambers"

Abstract: The purpose of this article is to show how the accuracy of these pulse measurements can be improved. Corrections which must be made to achieve this accuracy are based on results obtained in an earlier paper (A. I. Alikhanyan, et al, 12-ya Mezhdunarodnaya konferentsiya po fizike vysokikh energiy -- Twelfth International Conference on High-Energy Physics -- Dubna, 1964, 2, Atomizdat, 1966, p 303) and were derived from new equipment with better parameters. These involved a reduction in the total delay time of up to 230 ns for applying the high-voltage pulses to the chamber, a reduction of up to 2 ± 0.5 ns in the rise time of the high-voltage pulse, and a high degree of electric field uniformity at the edges of the chamber through the use of distributed resistances and capacitances. Tables of the characteristics of various types of chamber are given. Analysis of the errors shows that
1/2

- 103 -

USSR

ALIKHANYAN, A. I. et al, Zhurnal Eksperimental'noy i Teoreti-
cheskoy Fiziki, Vol 61, No 4(10), Oct 71, pp 1273-1275

the measurement accuracy of the new equipment is limited by the
optical distortion. A table of corrections for these distortions
is provided. Gratitude is expressed to V. N. Semenyushkin, N. I.
Novikov, A. F. Pisarev, Yu. V. Kulikov, L. N. Strunov, and I. N.
Golutvin for performing the required experiments in the OIYaI
(Joint Institute of Nuclear Research). The authors are associated
with the Yerevan Physical Institute.

2/2

AP9049814   UR 0431

THE FLUCTUATIONS OF THE TRACK BRIGHTNESS IN THE STREAMER CHAMBER

T. L. ASATIANI, K. A. GAZARIAN, W. N. IMIROW, W. A. IVANOV,
A. A. NAZARIAN

The analysis of he fluctuations of streamer track brightness is presented. It is
shown that these fluctuations are mainly related to the energy losses ionization.
Method of identification of fractionally charged particles and multy-charged
nuclei by counting the number of electrons on the streamer track is pro-
poused.

1948   0125

19

ASATIANI, V.S.

Pharmacology + Chemistry

16. USSR

"Our Green Sanitation Workers"

Moscow, Pravda, 31 Jan 73, p 3

Abstract: This article reviews and discusses the work of the Georgian Laboratory of Plant Biochemistry, headed by Academician S. V. Durmishidze. They have studied the qualities of more than 100 higher plants. Some, such as cabbage, have on useful features for cleaning the air, whereas others, such as tomatoes and rosmary(?), have(?) titles of harmful hydrocarbons and derivatives from the air (for example, up to several dozen milligrams of benzene per kilogram of wet leaves in a day) being trans-er atoms, it has been established that plants can capture aldehydes, ketones, etc. acids, alcohols, ethers, and aromatic components of ether oils. Data show that plants do have the necessary fermentation systems to break down aromatic hydrocarbons. Research is now going forward to find if plants can remove such cancer-causing substances as benzpyrene from the air.

In a quote, Director of the Georgian Institute of Geography F. F. Darienko(?), mentions the university of air pollution, the great hope that plant processes offer (if widely used), and the proposition that engineers and production managers still have a major duty to cut down on emissions from industrial units. Director of the Georgian Institute of Pharmacology and Chemistry, V. S. Asatiani, allied he was

1/2

USSR

Pravda, 31 Jan 73, p 3

pleased with Durmishidze's work, and hoped that they would also investigate plant processes which give off cancerogenic substances. Director of the Georgian Institute of Botany N. N. Ketskhoveli pointed out that, despite the clear findings of Durmishidze's research, residents of Tbilisi, who are engaged in a good deal of planting, are planting the wrong kinds of trees. He gives the example of the plane tree, the fluff from which plugs ventilation systems and causes allergy reactions; he proposes that the maple, with its strong air-cleaning features, should be planted much more widely.

2/2

TITLE--CHANGES IN ATPASE ACTIVITY IN ATHEROSCLEROTIC RABBITS -U-

AUTHOR-(05)--ASATIANI, V.S., KARCHKHADZE, R.G., SHAMKULASHVILI, G.G.,
  DZHUGELI, I.S., SILAGADZE, L.S.

CCUNTRY OF INFO--USSR

SOURCE--SOOBSHCH. AKAD. NAUK GRUZ. SSR 1970, 57(2), 469-72

DATE PUBLISHED-------70

SUBJECT AREAS--BIOLOGICAL AND MEDICAL SCIENCES

TOPIC TAGS--ATHEROSCLEROSIS, RABBIT, MITOCHONDRION, ENZYME ACTIVITY

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED

PROXY REEL/FRAME--3007/0212   STEP NO--UR/0251/70/057/002/0469/0472

CIRC ACCESSION NO--AP0135708
                              UNCLASSIFIED

CIRC ACCESSION NO--AP0135708
ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. IN RABBITS THE HIGHEST ATPASE ACTIVITY IS IN THE MITOCHONDRIA OF CARDIAC MUSCLE. ON COMPARING VARIOUS IONS (K, NA, MG, CA), ONLY MG ACTS AS AN ACTIVATOR OF ATPASE IN HEART, BRAIN, AND LIVER. IN ATHEROSCLEROTIC RABBITS, THE ATPASE ACTIVITY IS LOWER IN MITOCHONDRIA BUT HIGHER IN THE SUPERNATANT FRACTION. FACILITY: TBILIS. GOS. MED. INST., TBILISI, USSR.

UNCLASSIFIED

Radiation Chemistry

USSR   UDC 541.15

ASATOV, KH., DZANTIYEV, B. G., SHISHKOV, A. V., Institute of Chemical Physics of the USSR Academy of Sciences, Order of the Red Banner of Labor Institute of Cybernetics with the Computation Center of the Uzbek SSR Academy of Sciences

"Radiolysis of the Nitrogen-Propylene System. Formation of Nitrogen-Containing Products"

Abstract: A study was made of the gamma-radiolysis of the binary nitrogen-propylene system at a pressure of 760 mm Hg, for a dosage of $\approx 10^{13}$ electron volts/cm^3·sec and variation of the system composition (1-90% C_3H_6), the temperature (20-285°) and the absorbed dose within broad limits. HCN and CH_3CN were identified among the nitrogen-containing products.

The radiation chemical yields of HCN and CH_3CN depend extremally on the composition of the $N_2C_3H_6$ system, reaching a peak at 1-5 and 20% C_3H_6 respectively. The generation rate of N atoms during radiolysis of molecular nitrogen in the presence of C_3H_6 is 0.9-1.0 1/100 electron volts.

1/1

ASATRYAN, R.

State Standards

ENVIRONMENTAL DEGRADATION

INSPECTOR SCORES YEREVAN AIR POLLUTION

[Article by R. Asatryan, Deputy Chief of the Armenian Republic Administration of the USSR Gosstandart (State Standards Committee); Yerevan, Kommunist, Russian, 20 July 1972, p 4]

... Today we will discuss briefly the standards providing for clean air in the large cities.

Among the tens of thousands of state norms in effect in the USSR there are hundreds to protect the health of the people.

A Decree of the USSR Council of Ministers Gosstandart approved a normative establishing the carbon monoxide norm for motor vehicle emission gases; it went into effect on 1 January 1972.

The state standard is obligatory for all, and failure to comply with it will result in prosecution under the law. Let us examine how this standard has been introduced and is being observed.

In March of 1972, we ran a check at large motor vehicle establishments like the No 1 and No 2 taxi motor transport enterprises in Yerevan. About 200 Volga taxis, old and new, were checked. As a result, it was noted that for 60 percent of them, the emission gas carbon monoxide level exceeded the norm four-fold.

In addition to the indicated motor vehicle establishments, our co-workers, together with the republic state motor vehicle inspection apparatus, also inspected other motor vehicle establishments of Yerevan during the spring technical inspection, and it was established that the emission gas carbon monoxide level among the vehicles checked was two-fold and more higher than the permissible norms.

Thus, it was disclosed during the initial check that 95 percent of the vehicles using gasoline engines were discharging an impermissible amount of harmful substances (carbon monoxide, nitrogen peroxide) into the air.

- 1 -

USSR   UDC 627.152.12+551.482.32

ASATRYAN, R. G., Armenian Scientific Research Institute of Water Problems and Hydraulic Engineering

"Experimental Study of the Critical Transporting Capacity of a Two-Phase Flow in a Rigid Channel"

Abstract: Tests were conducted in 1968-1970 in a laboratory of the Armenian Scientific Research Institute of Water Problems and Hydraulic Engineering to determine experimentally the critical transporting capacity of flood-carrying systems with a hard bottom where there where two heterogeneous mixtures of afluvia characteristic of the granulometric composition of afluvia of flood carrying rivers of the Armenian SSR. The laboratory tests were conducted on a specially constructed flood channel of length 20 meters and width 0.37 meters, which consisted of four sections connected by hinges. The clean water was supplied from tanks and the afluvia were supplied from bunkers with mechanically regulated dosage. The experiments were conducted at angles of inclination

1/2

ASATRYAN, R. G., Izvestiya Akademii nauk Armyanskoy SSR, Seriya tekhnicheskikh nauk, No. 4, 1971, pp 35-42

of 0.01, 0.03, 0.05, and 0.10 for seven different water flows in the interval 27-324 l/sec·m and flows of afluvia in the range 0.3-17 kg/sec·m. A relationship was obtained between the critical transporting capacity of the flow and the inclination of the bottom. The coefficient of heterogeneity of the mixture played a considerable role in determining the transporting capacity of the flow. A relationship was obtained which shows that the critical flow of afluvia is directly proportional to the 3.3 power of the mean flow velocity and not to the 4th power as was obtained in other studies. The study was used to develop a method for calculating the transporting capacity of flood systems.

USSR   UDC 632.95

ASEYEVA, I. V., GORCHARUK, L. G., ALTUKHOV, M. D., and SAMOKHVALOV, A. N.

"Herbicidal Activity of the Butyl Ether of 2,4-D on the Chemical Properties of Plants"

Translation: The concentration of total nitrogen and free amino acids in twisted reed grasses increased after treatment with the butyl ester of 2,4-D. The amount of different amino acids changed but the sum of the total amino acids in the protein remained constant. Under the influence of the butyl ester of 2,4-D the concentration of chlorophyll in the reed grasses increased but the co centration of mono- and disaccarides decreased. The concentration of cells in the plants did not change.

1/1

- 53 -

ASBEL', M. Ya.

NEW BOOKS OF 'NAUKA' PUBLISHING HOUSE

[List, Moscow, Vestnik Akademii Nauk SSSR, Russian, Vol 41, No 10, October 1971, pp 129-131]

Mathematical, Physical and Technical Sciences

I. M. Lifshits, M. Ya. Asbel', and M. I. Kaganov. Elektronnaya teoriya metallov (Electronic Theory of Metals). Moscow, 1971, 416 pages, 9000 copies, 1 r 89 k.

V. A. Makhonin. O psikhomorfizme v avtomatike (Psychomorphism in Automation). Institute of Problems of Information Transmission. Moscow, 1971, 128 pages, 5700 copies, 46 k.

Osvoyeniye kosmicheskogo prostranstva v SSSR. 1957-1967 [The Mastering of Cosmic Space in the USSR (1957-1967)]. Institute of

- 203 -

JPRS 54678
10 Dec 1971

USSR

KHAMIDOV, A., ASER'YANTS, B. S., and YAKUBOV, I. M., Chair of Microbiology,
Andizhan Medical Institute, Andizhan

"Clinical and Epidemiological Characteristics of Q-Fever in Rishtanskiy Rayon,
Ferganskaya Oblast'"

Abstract: In Mar-Apr 69 an outbreak of Q-fever occurred at a village in the
Rishtansk Rayon, Fergana Oblast', among pupils and teachers of a school, of
whom 77 were affected. The majority of the patients (64) were 8-15 years of
age. There were 69 mild cases and 8 cases of medium severity. The patients
exhibited a positive reaction of complement fixation with an antigen derived from
Rickettsia burnetti, with the titer of the reaction increasing as the disease
progressed. This indicated with certainty that the disease in question was
Q-fever. Ten of 76 heads of cattle kept by private owners in the vicinity of
the school had a positive complement fixation reaction towards R. burnetti.
Furthermore, R. burnetti were isolated from the placenta of one cow. Evidently
the outbreak occurred as a result of contact with infected cattle and because
of the consumption at the school of raw milk and dairy products derived from such
cattle.
1/1

USSR   UDC: 621.315.592

MOLIN, V. N., VASIL, O. I., SKRIPKINA, P. A., ASEYEV, A. L.,
PETROSYAN, V. I., STENIN, S. I., and TAVGER, B. A., Institute of
Semiconductor Physics, Novosibirsk

"Connections of the Electrophysical Characteristics and Structure
of Dimension-Quantized InSb Films"

Abstract: The purpose of this paper is to establish a connection
between the structure and the electrical characteristics of InSb
films with quantum dimensional effects. In the form of wedges,
the specimens were prepared by pulse sputtering in a vacuum of
10^{-5} mm Hg on mica sheets measuring 10X80 mm. The specimens were
given two types of structure by two modes of annealing. A photo-
graph of these structures is reproduced, and curves are plotted
for the mobility as a function of the thickness of the InSb films
for the two structural types and for nonstoichiometric films with
excess Sb, for the mobility as a function of the polycrystalline
film temperature and the textured film temperature. The authors
express their gratitude to E. I. Dagman and L. M. Rodnikova for
their assistance.
1/1

ASEYEV, A.L.

SPES 573 GS
6-73

XVI-11. HETEROEPITAXY OF GERMANIUM ON GALLIUM ARSENIDE WITH VACUUM CONDENSA-TION

[Article by A. L. Aseyev, O. I. Vasin, Yu. N. Golobokov, Ye. A. Krivorotov, S. I. Stenin, V. N. Shumsky, Novosibirsk, III Simpozium Po Protsessam Rosta i Sinteza Poluprovodnikovykh Kristallov i Plenok, Russian, 12-17 June 1972, p 230]

Germanium films on gallium arsenide substrates were manufactured by condensation in a vacuum of 10^{-7}-10^{-8} torr. The deposition rate was 10-20 A/min. The substrate temperature varied in the range of 320-600° C and the substrate orientation was (110). The surface structure of the films and the substrates was examined by the method of electron diffraction on reflection, and the de- fectiveness of the germanium layer directly adjacent to the film-substrate junction was studied by a transmission electron microscope.

With an increase in the substrate temperature (T_p), the structure is transformed from polycrystalline (T_p = 320-440° C) to monocrystalline (T_p > 460° C). The basic type of defect in the heteroepitaxial germanium film was the packing defects located in the inclined {111} planes and the microtwins both with inclined and normal twinning planes {111}. The most perfect hetero- epitaxy was obtained in the temperature range of T_p = 560-580° C where the in- dicated defects are absent. The electron diffraction and electrophysical method demonstrated that up to a temperature of 600° C, no noticeable disassociation of the gallium arsenide takes place. The variations in the defectiveness of the boundary layers of Ge (intense twinning and the formation of packing defects at T_p = 460-520 and 580-600° C) agree with the variations in the electrophysical properties of the heterojunctions.

The mechanism of the formation of the structure of the heterojunctions of germanium and gallium arsenide during vacuum deposition are analysed in this paper.

- 236 -

ASEYEV, G. G., KUZNETSOVA, G. G., REPALOV, N. S., KHIZHNYAK, N. A., Physical-Technical Institute, Academy of Sciences of the UkrSSR, Khar'kov

"Parametric Instability of an Electron Beam Modulated by an External Electrostatic Field"

Abstract: The paper presents the results of experiments on studying the instability of an electron beam passing through a spatially periodic electric field. The conditions of existence of instability are experimentally determined. The increment of instability is measured together with its dependence on the electric field. The energy distributions of the electrons in the beam are measured in various operating modes. Some nonlinear limitations of stability are observed. The results agree with the theoretical model of parametric instability. The authors thank A. P. Voronin for preparing the experiment and assisting with the measurements.

1/1

USSR   UDC 533.916

ASEYEV, G. G., KUZNETSOVA, G. G., REPALOV, N. S., SAFRONOV, B. G.,
KHIZHNYAK, N. A .

"Parametric Instability of an Electron Beam in a Spatially Periodic Electric
Field"

Fiz. plazmy i probl. upravl. termoyader. sinteza. Resp. mezhved. sb.
(Plasma Physics and Problems of the Controlled Thermonuclear Fusion.
Republic Interdepartmental Collection), 1972, No. 3, pp 202-208 (from
RZh-Fizika, No 11, Nov 72, Abstract No 11G248)

Translation: Experimental studies of parametric instability of an electron
beam as it passes through a spatially periodic electric field are described.
The functional relationship between the level of the high-frequency radia-
tion and the accelerating voltage and the current of the gun and also the
magnitude of the external electric field is investigated. It was established
that these relationships have a resonance character. Theoretical and experi-
mental results for the case of resonance at the second harmonic of the
plasma frequency of the beam agree quite satisfactorily. The results are
analyzed.

1/1

ASEYEV, G. I.

92

Table 1. Comparative data on supersonic nondivergent plasma jets

Jet type	E, joules	Nozzle dia, cm	Chamber pressure, atm	Exit velocity, km/sec	Adiab. index, γ	Mach no.
With shock wave	3.0	0.9	11	3.1	1.67	—
With periodic structure	2.2	0.9	8	2.6	1.67	1.9

Aseyev, G. I., and M. L. Kats. Destruction mechanisms of alkali halide crystals and multi-photon ionization of impurity centers. FTT, no. 5, 1972, 1303-1307.

The destruction of a series of natural and impure alkali halide crystals (NaCl, KCl, KBr, NaBr, KCl-Eu, KCl-Ag, KCl-Tl, and KCl-In) under the effect of ruby and neodymium lasers was investigated in a free-running regime (energy ≈ 1.5 joule, duration ≈ 500μsec). Beam focusing on the specimens was done by f = 50 and 150 mm lenses. The destruction mechanism in crystals is explained in terms of Brillouin forced dispersion and local heating. The temperature at the damage site was approximately 5000°C at a near critical power density. Forced dispersion components were not observed. Results show little likelihood of destruction due to hypersonic phonons and high-frequency breakdown; the primary destruction mechanism is rather the local heating associated with absorption of a portion of the laser energy by crystal structure defects. The dynamics of the destruction process and causes of optical fatigue in alkali halide crys-

Foundry

ASEYEV, R. E. (Engineer), ZHUCHIN, V. N. (Cand. of Techn. Sciences), and
KONDRASHIN, V. M. (Engineer)

"Continuous Pouring of Iron-Nickel Alloys on a Radial Unit and the Surface
Quality of Thin-Section Castings"

Abstract: The paper deals with the causes of shrinkage cavities in iron-
nickel alloy castings (55 x 270 mm) made on continuous radial pouring
equipment. It is shown that the thermal stresses in the crystallizing
crust which increase due to uneven cooling (separation of crust from the
ingot mold wall), reaching the yield point of the material, are the principal
cause. The growth of these stresses is governed by the temperature
dependence of the yield point. The process of shrinkage cavitation ceases
when the thermal stresses level off with the formation of a plastic articu-
lation in the form of a fold or localized sag. Tests on various shapes
of ingot molds indicate rippled ingot molds to be the only solution for
preventing the formation of shrinkage cavities. (3 illustrations, 8
bibliographic references).
1/1

1/2   033   UNCLASSIFIED   PROCESSING DATE--04DEC7(
TITLE--CARBONIZATION OF RESOL TYPE PHENOL FORMALDEHYDE RESINS -U-

AUTHOR-(05)-BERLIN, A.A., FIALKOV, A.S., TSVELIKHOVSKIY, G.I., ASEYEVA,
   R.M., BAVER, A.I.
COUNTRY OF INFO--USSR

SOURCE--PLAST. MASSY 1970, (6), 44-8

DATE PUBLISHED-------70

SUBJECT AREAS--CHEMISTRY, MATERIALS

TOPIC TAGS--PHENOL FORMALDEHYDE RESIN, PYROLYSIS, X RAY STUDY, IR
   SPECTRUM, METHYLENE, DEHYDROGENATION, GAS CHROMATOGRAPHY, MASS
   SPECTROSCOPY, CONNUGATE BOND SYSTEM, POLYMER STRUCTURE

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--3007/0732   STEP NO--UR/0191/70/000/006/0044/0048

CIRC ACCESSION NO--AP0136171
                          UNCLASSIFIED

CIRC ACCESSION NO--AP0136171

ABSTRACT/EXTRACT--(U) GP-0- ABSTRACT. SAMPLES OF BAKELITE (I) CONTG. VARIOUS AMTS. OF PHOH WERE PREPD. BY THE PURIFICATION OF COM. I. I WAS THEN PYROLYZED IN VACUUM OR IN AR AT TEMPS. LESS THAN OR EQUAL TO 1000DEGREES. ANAL. OF DTA DATA AND S RAY AND IR SPECTRA SHOW THAT THE MAIN REACTIONS WERE BREAKING CH SUB2 BRIDGES, DEHYDROGENATION, AND FREE RADICAL REACTIONS INVOLVING QUINONOID STRUCTURES. GAS CHROMATOG. AND MASS SPECTROSCOPY SHOWED THAT THE MAIN DECOMPN. PRODUCTS WERE PHOH, CRESOL, BENZENE, H SUB2, CH SUB4, CO, CO SUB2, AND H SUB2 O. THE CARBONIZED RESIDUE OBTAINED AT 900DEGREES HAD AN UNORGANIZED STRUCTURE. INCREASING THE PYROLYSIS TEMP. INCREASED THE NO. OF CONJUGATED STRUCTURES AND ORDERING. THE SAMPLES WITH LOWER INITIAL PHOH CONTENTS GAVE DENSER PYROLYZED STRUCTURES.

1/2   022   UNCLASSIFIED   PROCESSING DATE--30OCT70
TITLE--OXIDATION OF DIPHENYLMETHANE IN THE PRESENCE OF POLYPHENYLACETYLENE
-U-

AUTHOR-(04)-BERLIN, A.A., ASEYEVA, R.M., YARKINA, V.V., KOBRYANSKIY, V.M.

COUNTRY OF INFO--USSR

SOURCE--KINET. KATAL. 1970, 11(1), 241-4

DATE PUBLISHED-------70

SUBJECT AREAS--CHEMISTRY

TOPIC TAGS--BENZENE DERIVATIVE, OXIDATION, ACETYLENE, ORGANIC AZO
COMPOUND, ORGANIC NITRILE COMPOUND, CONJUGATE BOND SYSTEM, ANTIOXIDANT
ADDITIVE

CONTROL MARKING--NO RESTRICTIONS

DOCUMENT CLASS--UNCLASSIFIED
PROXY REEL/FRAME--1992/1620   STEP NO--UR/0195/70/011/001/0241/0244

CIRC ACCESSION NO--AP0112614
                         UNCLASSIFIED